

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Sifalloy No 75

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|----------------|
| Product name | Sifalloy No 75 |
| Product code | RT75[16/24]25 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|--|
| Product Use | [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU15] Manufacture of fabricated metal products, except machinery and equipment; [PC38] Welding and soldering products (with flux coatings or flux cores.), flux products; |
|-------------|--|

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------------------------|---|
| Company | Weldability Sif |
| Address | Peters House, The Orbital Centre, Icknield Way, Letchworth Garden City, Hertfordshire, SG6 1ET. UK. www.weldability-sif.com |
| Telephone | 0870 330 7757 |
| Fax | 0800 970 7757 |
| Email | service@weldability-sif.com |
| Email address of the competent person | msds@weldability-sif.com |

1.4. Emergency telephone number

| | |
|----------------------------|---|
| Emergency telephone number | 0870 330 7757 |
| Company | Weldability Sif 8.30 to 5.30 Mon - Fri |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| | |
|--------------|-----------------------|
| Main hazards | No Significant Hazard |
|--------------|-----------------------|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sifalloy No 75

3.2. Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name | Index No. | CAS No. | EINECS No. | REACH Registration Number | Conc. (%w/w) Classification |
|--|--------------|-----------|------------|---------------------------------|-----------------------------|
| Titanium | | 7440-32-6 | 231-142-3 | | 90 - 100% |
| aluminium powder (stabilised) (Aluminium metal total inhalable dust) | 013-002-00-1 | 7429-90-5 | 231-072-3 | | 1 - 10% F; R11-15 |
| Vanadium | | 7440-62-2 | 231-171-1 | | 1 - 10% |
| Iron | | 7439-89-6 | 231-096-4 | | 0 - 0.5% |
| Carbon (Graphite total inhalable dust) | | 7440-44-0 | 231-153-3 | | 0 - 0.5% |
| .Yttrium (Yttrium) | | 7440-65-5 | 231-174-8 | | 0 - 0.5% |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---|
| Inhalation | Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. |
| Eye contact | Avoid contact with eyes. Seek medical attention. |
| Skin contact | Wash off immediately with plenty of soap and water. |
| Ingestion | If swallowed, seek medical advice immediately and show this container or label. |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|---|
| | Extinguishing media. Carbon dioxide (CO ₂). Dry chemical. For large fires: Alcohol resistant foam. Water jet. |
|--|---|

5.3. Advice for firefighters

| | |
|--|---|
| | Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary. |
|--|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|--|---|
| | Avoid formation of dust. Ensure adequate ventilation of the working area. |
|--|---|

6.3. Methods and material for containment and cleaning up

| | |
|--|--|
| | Sweep up. No specific clean up requirements. Refer to disposal considerations in Section 13. |
|--|--|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|--|-----------------------|
| | Wear suitable gloves. |
|--|-----------------------|

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--|--|
| | Keep container tightly closed and dry. |
|--|--|

SECTION 8: Exposure controls/personal protection

8.1. Control parameters


8.1.1. Exposure Limit Values

Sifalloy No 75

8.1. Control parameters

| | | |
|---|--|---|
| Yttrium (Yttrium) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 3 |
| aluminium powder (stabilised) (Aluminium metal respirable dust) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: - |
| aluminium powder (stabilised) (Aluminium metal total inhalable dust) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - |
| Carbon (Graphite respirable) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: - |
| Carbon (Graphite total inhalable dust) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - |

8.2. Exposure controls

| | |
|---|---|
| |  |
| 8.2.1. Appropriate engineering controls | Keep away from foodstuffs, beverages and feed. |
| 8.2.2. Individual protection measures | Use appropriate personal protective equipment. |
| Eye / face protection | Wear suitable protective clothing and eye/face protection. |
| Skin protection - Handprotection | Wear suitable gloves. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--------|----------------|
| State | Solid |
| Colour | Brown |
| Odour | Characteristic |

SECTION 10: Stability and reactivity

10.2. Chemical stability

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.6. Hazardous decomposition products

| | |
|--|-------|
| | None. |
|--|-------|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | May cause irritation to skin in susceptible persons. |
| Respiratory or skin sensitisation | May cause sensitisation by inhalation. Inhalation may cause nausea and vomiting. May cause drowsiness or dizziness. |

SECTION 12: Ecological information

Further information

| | |
|--|---|
| | Avoid release to the environment. Refer to special instructions/Safety data sheets. |
|--|---|

Sifalloy No 75

SECTION 13: Disposal considerations

General information

| | |
|--|--|
| | This material and its container must be disposed of in a safe way. |
|--|--|

Disposal methods

| | |
|--|--|
| | Dispose of in compliance with all. local and national regulations. |
|--|--|

SECTION 14: Transport information

ADR/RID

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

IMDG

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

IATA

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

SECTION 15: Regulatory information

Labelling

Risk phrases

| | |
|--|------------------------|
| | No Significant Hazard. |
|--|------------------------|

SECTION 16: Other information

Other information

Text of risk phrases in Section 3

| | |
|--|--|
| | R11 - Highly flammable. R15 - Contact with water liberates extremely flammable gases. |
|--|--|

General information

| | |
|--|--|
| | The information supplied in this safety data sheet is designed only as guidance for safe use, storage and handling of the product. This information relates only to the specific goods listed and may not be valid for such material used in combination with any other product(s). This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. |
|--|--|